Author Index

Al-Deen, A. N., Cecchini, D. J. and Giese, R. W.
Purification of DNA-derived deoxynucleotides from leukocytes involving nuclease elution of an ion-exchange column 600(1992)229

Alvi, S. N., see Husain, S. 600(1992)316

Baltas, M., Benbakkar, M., Gorrichon, L. and Zedde, C.
Plant growth regulators G_1, G_2, G_3. Synthesis, extraction and determination of leaf content in *Eucalyptus grandis* 600(1992)323

Belik, M. Y., see Galushko, S. V. 600(1992)79

Benbakkar, M., see Baltas, M. 600(1992)323

Bente III, P. F., see Huang, X. C. 600(1992)289

Betts, T. J.
Cholesteryl acetate as a stationary phase for the gas chromatography of some volatile oil constituents 600(1992)337

Blažek, J., see Černý, J. 600(1992)243

Blomberg, L. G., see Demirbüker, M. 600(1992)358

Boos, K.-S., Lintelmann, J. and Kettrup, A.
Coupled-column high-performance liquid chromatographic method for the determination of 1-hydroxypyrene in urine of subjects exposed to polycyclic aromatic hydrocarbons 600(1992)189

Brennan, T. M., see Huang, X. C. 600(1992)289

Brinkman, U. A. T., see Debets, A. J. J. 600(1992)163

Bureiko, A. S., see Marinichev, A. N. 600(1992)251

Burford, M. D., see Smith, R. M. 600(1992)175

Cachet, T., Lannoo, P., Paesen, J., Janssen, G. and Hoogmartens, J.
Determination of erythromycin ethylsuccinate by liquid chromatography 600(1992)99

Caldwell, W. M., see Griest, W. H. 600(1992)273

Carrea, G., Pasta, P., Colonna, S. and Gaggero, N.
High-performance liquid chromatographic separation of chiral metallocenic ketones and alcohols 600(1992)320

Cecchini, D. J., see Al-Deen, A. N. 600(1992)229

Černý, J., Šebor, G. and Blažek, J.
Use of basic alumina in fractionation of fossil fuels 600(1992)243

Cessna, A. J. and Grover, R.
Determination of the herbicide diclofop in human urine 600(1992)327

Chambaz, D. and Haerdi, W.
Determination of divalent trace metals in natural waters by preconcentration on N,N,N′,N′-tetra(2-aminoethyl)ethylenediamine-silica followed by on-line ion chromatography 600(1992)203

Chmelík, J. and Thormann, W.
Isoelectric focusing field-flow fractionation. III. Investigation of the influence of different experimental parameters on focusing of cytochrome *c* in the trapezoidal cross-section channel 600(1992)297

Chmelík, J. and Thormann, W.
Isoelectric focusing field-flow fractionation. IV. Investigations on protein separations in the trapezoidal cross-section channel 600(1992)305

Choma, I., Dawidowicz, A. L. and Lodkowski, R.
High-performance liquid chromatography of benzodiazepines using sorbents with thermally immobilized Carbowax 20M 600(1992)109

Colonna, S., see Carrea, G. 600(1992)320

Coquart, V. and Hennion, M.-C.
Trace-level determination of polar phenolic compounds in aqueous samples by high-performance liquid chromatography and on-line preconcentration on porous graphitic carbon 600(1992)195

Cserháti, T.
Support matrix effects in the reversed-phase thin-layer chromatography of some peptides 600(1992)149

Cserháti, T., see Forgács, E. 600(1992)43

Dąbrowski, R., see Mazur, J. 600(1992)123

D'Agostino, P. A. and Provost, L. R.
Capillary column gas chromatography–ammonia and deuterated ammonia chemical ionization mass spectrometry of sulfur vesicants 600(1992)267

Dawidowicz, A. L., see Choma, I. 600(1992)109

Debets, A. J. J., Hupe, K.-P., Kok, W. T. and Brinkman, U. A. T.
Electrodialytic sample treatment coupled on-line with column liquid chromatography for the determination of basic and acidic compounds in environmental samples 600(1992)163

De Jong, G. J., see Zech, K. 600(1992)161

Demirbüker, M. and Blomberg, L. G.
Permanganate-impregnated packed capillary columns for group separation of triacylglycerols using supercritical media as mobile phases 600(1992)358

Dybczyński, R.
Role of ion-exchange and extraction chromatography in neutron activation analysis (Review) 600(1992)17

Dzido, T. H., see Waksmundzka-Hajnos, M. 600(1992)51

El Rassi, Z., see Nashabeh, W. 600(1992)279

Ettre, L. S., see Meyer, V. R. 600(1992)3

Fábián, V., see Morvai, M. 600(1992)87

Forgács, E. and Cserháti, T.
High-performance liquid chromatographic retention behaviour of ring-substituted aniline derivatives on a porous graphitized carbon column 600(1992)43

Gaggero, N., see Carrea, G. 600(1992)320

Galushko, S. V., Belik, M. Y., Solodenko, V. A., Kasheva, T. N. and Kukhar, V. P.
Ion-exchange high-performance liquid chromatography of diastereoisomers of some phosphonodipeptides 600(1992)79

Galushko, S. V., Shishkina, I. P., Gerus, I. I. and Kolycheva, M. T.
High-performance ligand-exchange liquid chromatography of fluoro derivatives of alanine 600(1992)83

Gawdzik, B.
Retention of basic drugs on porous polymers in high-performance liquid chromatography 600(1992)115
Gerus, I. I., see Galushko, S. V. 600(1992)83
Giese, R. W., see Al-Deen, A. N. 600(1992)229
Gorrichon, L., see Baltas, M. 600(1992)323
Grajek, H., Neffe, S. and Witkiewicz, Z.
Chromatographic determination of the physico-chemical parameters of adsorption on activated carbon fibres 600(1992)67
Griest, W. H., Ramsey, R. S., Ho, C.-H. and Caldwell, W. M.
Supercritical fluid extraction of chemical warfare agent simulants from soil 600(1992)273
Groen, C. P., see Van Zijtveld, J. 600(1992)211
Grover, R., see Cessna, A. J. 600(1992)327
Guiochon, G., see Jacobson, S. C. 600(1992)37
Haerdi, W., see Chambaz, D. 600(1992)203
Haken, J. K.
Stationary phases in gas chromatography (by H. Rotzsche) (Book Review) 600(1992)378
Haken, J.K. and Iddamalgoda, P.
Reactor for prechromatographic fusion reactions 600(1992)352
Hennion, M.-C., see Coquart, V. 600(1992)195
Herweck, U., Zimmerman, H. and Reichling, J.
Suitable chiral packing material for the high-performance liquid chromatographic separation of derivatives of 1′-hydroxyeugenol 600(1992)312
Ho, C.-H., see Griest, W. H. 600(1992)273
Hoogmartens, J., see Cachet, T. 600(1992)99
Hsu, M.-C. and Huang, W. F.
Collaborative study of the determination of cloxacillin by column liquid chromatography 600(1992)333
Huang, W. F., see Hsu, M.-C. 600(1992)333
Huang, X. C., Stuart, S. G., Bente III, P. F. and Brennan, T. M.
Capillary gel electrophoresis of single-stranded DNA fragments with UV detection 600(1992)289
Huh, H., Staba, E. J. and Singh, J.
Supercritical fluid chromatographic analysis of polyprenols in *Ginkgo biloba* L 600(1992)364
Hupe, K.-P., see Debets, A. J. J. 600(1992)163
Hupe, K.-P., see Zech, K. 600(1992)161
Husain, S., Narsimha, R., Alvi, S. N. and Rao, R. N.
Monitoring the effluents of the trichloroacetic acid process by high-performance liquid chromatography 600(1992)316
Iddamalgoda, P., see Haken, J. K. 600(1992)352
Jacobson, S. C. and Guiochon, G.
Contribution of ionically immobilized bovine serum albumin to the retention of enantiomers 600(1992)37
Janssen, G., see Cachet, T. 600(1992)99
Jarrett, H. W., see Massom, L. R. 600(1992)221
Kasheva, T. N., see Galushko, S. V. 600(1992)79
Kaufmann, P., see Olsson, N. U. 600(1992)257
Kettrup, A., see Boos, K.-S. 600(1992)189
Kok, W. T., see Debets, A. J. J. 600(1992)163
Kolycheva, M. T., see Galushko, S. V. 600(1992)83
Kononenko, V. L. and Shimkus, J. K.
Use of integral Doppler anemometry in field-flow fractionation 600(1992)139
Krull, I. R.
Advances in chromatography Vol. 32 (edited by J. C. Giddings, E. Grushka and P. R. Brown) (Book Review) 600(1992)376
Kukhar, V. P., see Galushko, S. V. 600(1992)79
Lannoo, P., see Cachet, T. 600(1992)99
Lintelmann, J., see Boos, K.-S. 600(1992)189
Lipkowski, J., see Witkiewicz, Z. 600(1992)1
Liu, Y.-M. and Sheu, S.-J.
Determination of ephedrine alkaloids by capillary electrophoresis 600(1992)370
Lodkowski, R., see Choma, I. 600(1992)109
Lonkar, S. T., see Patil, S. F. 600(1992)344
Luque de Castro, M. D. and Valcárcel, M.
New approaches to coupling flow-injection analysis and high-performance liquid chromatography 600(1992)183
Marinichev, A. N., Vitenberg, A. G. and Bureiko, A. S.
Efficiency of gas extraction in headspace analysis 600(1992)251
Massom, L. R. and Jarrett, H. W.
High-performance affinity chromatography of DNA. II. Porosity effects 600(1992)221
Mazur, J., Witkiewicz, Z. and Dąbrowski, R.
Gas chromatographic separation of *cis–trans* isomers of alkylcyclohexylbenzenes on a capillary column with a liquid crystalline stationary phase 600(1992)123
Meyer, V. R. and Ettre, L. S.
Early evolution of chromatography: the activities of Charles Dhéré 600(1992)3
Molnár-Perl, I., see Morvai, M. 600(1992)87
Morvai, M., Fábián, V. and Molnár-Perl, I.
Buffer and pH dependence of the retention of phenylthiocarbamylamino acids in reversed-phase high-performance liquid chromatography 600(1992)87
Narsimha, R., see Husain, S. 600(1992)316
Nashabeh, W. and El Rassi, Z.
Capillary zone electrophoresis of linear and branched oligosaccharides 600(1992)279
Nazarova, V. I., Shcherbakova, K. D. and Shcherbakova, O. A.
Chromatographic properties of graphitized thermal carbon black modified with a monolayer of liquid crystal 600(1992)59
Neffe, S., see Grajek, H. 600(1992)67
Olsson, N. U. and Kaufmann, P.
Optimized method for the determination of 1,2-diacyl-*sn*-glycero-3-phosphocholine and 1,2-diacyl-*sn*-glycero-3-phosphoethanolamine molecular species by enzymatic hydrolysis and gas chromatography 600(1992)257
Paesen, J., see Cachet, T. 600(1992)99
Pasta, P., see Carrea, G. 600(1992)320
Patil, S. F. and Lonkar, S. T.
Thermal desorption–gas chromatography for the determination of benzene, aniline, nitrobenzene and chlorobenzene in workplace air 600(1992)344
Pouwelse, A. V., see Van Zijtveld, J. 600(1992)211
Provost, L. R., see D'Agostino, P. A. 600(1992)267

Raina, A. K.
Chromatography and isolation of insect hormones and pheromones (edited by A. R. McCaffery and I. D. Wilson) (Book Reviews) 600(1992)373
Ramsey, R. S., see Griest, W. H. 600(1992)273
Rao, R. N., see Husain, S. 600(1992)316
Rappuoli, P., see Scapol, L. 600(1992)235
Reichling, J., see Herweck, U. 600(1992)312
Righetti, P. G.
Advances in electrophoresis, volume 4 (edited by A. Chrambach, M. J. Dunn and B. J. Radola) (Book Reviews) 600(1992)375
Sá, M.M. and Sereno, A.M.
Effect of column material on sorption isotherms obtained by inverse gas chromatography 600(1992)341
Scapol, L., Rappuoli, P. and Viscomi, G. C.
Purification of recombinant human interferon-β by immobilized antisense peptides 600(1992)235
Šebor, G., see Černý, J. 600(1992)243
Semenov, S. N.
Integral Doppler anemometry in porous membranes for the analysis of liquid mixtures and examination of membrane properties 600(1992)129
Semenov, S. N.
Transverse particle redistribution in a flat channel for SPLITT or integral Doppler anemometry 600(1992)133
Sereno, A. M., see Sá, M. M. 600(1992)341
Shcherbakova, K. D., see Nazarova, V. I. 600(1992)59
Shcherbakova, O. A., see Nazarova, V. I. 600(1992)59
Sheu, S.-J., see Liu, Y.-M. 600(1992)370
Shimkus, J. K., see Kononenko, V. L. 600(1992)139
Shintani, H.
Solid-phase extraction and high-performance liquid chromatographic analysis of a toxic compound from γ-irradiated polyurethane 600(1992)93
Shishkina, I. P., see Galushko, S. V. 600(1992)83
Singh, J., see Huh, H. 600(1992)364
Smith, R. M. and Burford, M. D.
Optimization of supercritical fluid extraction of volatile constituents from a model plant matrix 600(1992)175
Solodenko, V. A., see Galushko, S. V. 600(1992)79
Staba, E. J., see Huh, H. 600(1992)364
Stuart, S. G., see Huang, X. C. 600(1992)289
Thormann, W., see Chmelík, J. 600(1992)297
Thormann, W., see Chmelík, J. 600(1992)305
Valcárcel, M., see Luque de Castro, M. D. 600(1992)183
Van Zijtveld, J., Pouwelse, A. V. and Groen, C. P.
Application of an internal surface reversed-phase column for the automated determination of flucycloxuron residues 600(1992)211
Viscomi, G. C., see Scapol, L. 600(1992)235
Vitenberg, A. G., see Marinichev, A. N. 600(1992)251
Waksmundzka-Hajnos, M., Wawrzynowicz, T. and Dzido, T. H.
Comparison of adsorption properties of Florisil and silica in high-performance liquid chromatography. I. Retention behaviour of monofunctional model solutes 600(1992)51
Wawrzynowicz, T., see Waksmundzka-Hajnos, M. 600(1992)51
Witkiewicz, Z. and Lipkowski, J.
Foreword 600(1992)1
Witkiewicz, Z., see Grajek, H. 600(1992)67
Witkiewicz, Z., see Mazur, J. 600(1992)123
Zech, K., De Jong, G. J. and Hupe, K.-P.
Foreword 600(1992)161
Zedde, C., see Baltas, M. 600(1992)323
Zimmerman, H., see Herweck, U. 600(1992)312

Errata

J. Chromatogr., 593 (1992) 41–46

Page 44, Fig. 3, amend legend: Peaks: 1 = 9-methylanthracene, 2 = CRA, 3 = retinol.

J. Chromatogr., 596 (1992) 285–289

Page 289, Table III, first value under Burley: 26 should read 26.6.